



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

**STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES
AND CITIES OF THE UNITED STATES (untabulated).**

CONNECTICUT—*Stamford*.—Month of November, 1910. Population, 26,000. Total number of deaths from all causes not reported. No deaths from contagious diseases reported. Cases reported: Measles 84, scarlet fever 1, tuberculosis 4.

FLORIDA.—Week ended November 26, 1910. Reports from the State board of health show typhoid fever present in 3 localities with 4 cases, smallpox in 7 counties (Dade, Escambia, Jackson, Leon, Osceola, Polk, and Washington) with 25 cases, scarlet fever in 1 locality with 1 case, diphtheria in 3 localities with 4 cases, malaria in 3 localities with 13 cases, tuberculosis in 4 localities with 8 cases.

ILLINOIS—*Peoria*.—Month of November, 1910. Population, 70,000. Total number of deaths from all causes 76, including diphtheria 2, tuberculosis 5. Cases reported: Smallpox 4, scarlet fever 6, diphtheria 19.

INDIANA—*Muncie*.—Month of November, 1910. Population, 31,692. Total number of deaths from all causes 27, including typhoid fever 1, tuberculosis 4. Cases reported: Typhoid fever 4, scarlet fever 9, diphtheria 3, tuberculosis 1.

IOWA—*Cedar Rapids*.—Month of November, 1910. Population, 33,817. Total number of deaths from all causes 44, including typhoid fever 2, diphtheria 1, tuberculosis 1. Cases reported: Smallpox 9, scarlet fever 1, diphtheria 6.

LOUISIANA—*Shreveport*.—Month of November, 1910. Population, 30,000. Total number of deaths from all causes 86, including typhoid fever 4, pellagra 1, tuberculosis 12.

MARYLAND.—Month of August, 1910. Population, 1,319,132. Total number of deaths from all causes 902, including typhoid fever 35, measles 1, poliomyelitis 10, diphtheria 7, tuberculosis 61. Cases reported: Typhoid fever 521, measles 1, scarlet fever 33, diphtheria 24, poliomyelitis 3.

MASSACHUSETTS—*Mortality*.—Week ended October 1, 1910. Population of reporting towns, 2,405,089. Total number of deaths from all causes 725, including typhoid fever 12, scarlet fever 1, diphtheria 11, tuberculosis 60. Week ended October 8, 1910. Total number of deaths from all causes 803, including typhoid fever 10, measles 1, scarlet fever 4, diphtheria 19, tuberculosis 70. Week ended October 15, 1910. Population of reporting towns, 2,393,291. Total number of deaths 686, including typhoid fever 8, measles 2, diphtheria 15, tuberculosis 69. Week ended October 22, 1910. Total number of deaths 693, including typhoid fever 8, diphtheria 8, tuberculosis 43. Week ended October 29, 1910. Total number of deaths 695, including typhoid fever 4, measles 1, scarlet fever 2, diphtheria 15, tuberculosis 61.

Morbidity.—Reports of infectious diseases show 574 cases of typhoid fever, 215 of measles, 480 of scarlet fever, 712 of diphtheria, 555 of tuberculosis.

MICHIGAN.—Month of October, 1910. Population, 2,668,308. Total number of deaths from all causes 3,132, including typhoid fever 126, measles 2, scarlet fever 13, diphtheria 52, tuberculosis 229. Cases reported: Typhoid fever was reported present in 164 localities with 566 cases, smallpox in 19 localities with 131 cases, measles in 20 localities with 245 cases, scarlet fever in 76 localities with 364 cases, diphtheria in 62 localities with 433 cases, tuberculosis 67 cases.